


DETAIL: KEYED TEST
DEPLOY SWITCH
SCALE: 3" = 1'-0"



OPTIONAL DETAIL: DOOR

ACTIVATION SWITCH

SCALE: 3" = 1'-0"

SMOKE S G GUARD

287 N. Maple Grove Boise, ID 83704 800.574.0330 www.smokeguard.com

M2500 ELECTRICAL NOTES:
1. SMOKE GUARD TO PROVIDE:
a. MAIN CONTROLLER STATION
b. END-OF-LINE DIODE

2. ALL REMAINING ELECTRICAL BY OTHERS.
3. DEFAULT LOCATION OF MAIN MOTOR IS RIGHT SIDE VIEWED FROM FRONT ELEVATION. LEFT SIDE IS OPTIONAL UPON REQUEST.
4. CONTROLLER DIMENSIONS ARE

 CONTROLLER DIMENSIONS ARE 18"x14.25"x 6", REFER TO SUPPLEMENTARY DOCUMENTATION FOR WIRING SPECIFICS & MOUNTING DETAILS.

REVISION					
REVISION NUMBER	REVISION DATE	REVISION DESCRIPTION			
01	7.28.20	INITIAL RELASE			

QUOTE: CONFIGURATION: PROJECT: DIST.:


DESIGN SET: D1


MODEL: M2500

ELECTRICAL DIAG

ELECTRICAL DIAGRAM SINGLE CONTROLLER DRAWN: TLM 7.28.2020 B

FILE LOCATION.:\\OXIDE2\company\Sales\_Integration\CAD\Web Design Details\M2500






DETAIL A: KEYED TEST

DEPLOY SWITCH BY S.G.

SCALE: 3"=1"



OPTIONAL: DETAIL B: DOOR

B ACTIVATION SWITCH BY S.G.

SCALE: 3"=1"



287 N. Maple Grove Boise, ID 83704 800.574.0330 www.smokeguard.com

M2500 ELECTRICAL NOTES:

1. SMOKE GUARD TO PROVIDE:

a. MAIN CONTROLLER STATION
b. END—OF—LINE DIODE

2. ALL REMAINING ELECTRICAL BY OTHERS.

2. ALL REMAINING ELECTRICAL BY OTHERS.
3. DEFAULT LOCATION OF MAIN MOTOR IS
RIGHT SIDE VIEWED FROM FRONT ELEVATION.
LEFT SIDE IS OPTIONAL UPON REQUEST.
4. CONTROLLER DIMENSIONS ARE

 CONTROLLER DIMENSIONS ARE 18"x14.25"x 6", REFER TO SUPPLEMENTARY DOCUMENTATION FOR WIRING SPECIFICS & MOUNTING DETAILS.

REVISION					
REVISION NUMBER	REVISION DATE	REVISION DESCRIPTION			
01	7.28.20	INITIAL RELASE			


B


QUOTE: CONFIGURATION: PROJECT: DIST.:

DESIGN SET: D1


MODEL: M2500

ELECTRICAL DIAGRAM DUA CONTROLLER DRAWN: TLM 7.28.2020





DETAIL A: KEYED TEST A DEPLOY SWITCH BY S.G. SCALE: 3"=1'



OPTIONAL: DETAIL B: DOOR B ACTIVATION SWITCH BY S.G. SCALE: 3"=1'



287 N. Maple Grove Boise, ID 83704 800.574.0330 www.smokeauard.com

M2500 ELECTRICAL NOTES:

1. SMOKE GUARD TO PROVIDE:

a. MAIN CONTROLLER STATION
b. END—OF—LINE DIODE

ALL REMAINING ELECTRICAL BY OTHERS.

ALL REMAINING ELECTRICAL BY OTHERS.
 DEFAULT LOCATION OF MAIN MOTOR IS RIGHT SIDE VIEWED FROM FRONT ELEVATION. LEFT SIDE IS OPTIONAL UPON REQUEST.
 CONTROLLER DIMENSIONS ARE 18"x14.25"x 6", REFER TO SUPPLEMENTARY DOCUMENTATION FOR WIRING SPECIFICS & MOUNTING DETAILS.

REVISION					
REVISION NUMBER	REVISION DATE	REVISION DESCRIPTION			
01	7.28.20	INITIAL RELASE			

QUOTE: CONFIGURATION: PROJECT: DIST.:

DESIGN	SET: D1		SIZ
MODEL:	M2500		E
EL EOTO:	0.11 011.00		SHE
ELECTRI WID	3 OF		
DRAWN:	TLM	7.28.2020	